


**BICYCLE TIRES 2024  
ENGLISH**



**Qnttrack**

# CONTENT

## TIRE TECHNOLOGY

---

- 01 BASIC TIRE STRUCTURE / CASING
- 02 TUBELESS READY
- 03 TIRE & RIM COMPATIBILITY CHART
- 04 TECH
- 05 COMPOUND

## CITY/TOUR/GRAVEL

---

- 06 CHARGER / CONVERT
- 07 LIGHTNING / MAKO SHARK
- 08 ROADRUNNER
- 09 SCORCHER / SPECTRE
- 10 WEDGE / ALLAROUND
- 11 X-PACK

## MTB

---

- 12 AZTEC / BLACK DIAMOND
- 13 CUTLASS
- 14 DUAL / WOLFTRACK
- 15 GANGSTER
- 16 MAGIC / FACTION
- 17 SUPER MOTO / X-PACK
- 18 TRANSITION / TYPHOON
- 19 JUMBO / AM CLASIC

## ROAD

---

- 20 BLADE / COMET
- 21 ROADRUNNER / MUSTANG
- 22 THUNDERBOLT

## KIDS/BMX

---

- 23 CHALLENGER
- 24 CONCOURS / CORVETTE
- 25 INTREPID / WRANGLER

## INNER TUBE

---

- 26 STANDARD TUBE
- 27 SELF-SEALING TUBE / SUPER LITE
- 28 HEAVY DUTY TUBE / THORN RESISTANCE TUBE
- 29 UltraMAX XTS (Xtra Thick Tube with Sealant)
- 30 VALVES


## TPU RACE TUBE

---

- 31 TPU RACE TUBE
- 32 TPU RACE TUBE




# BASIC TIRE STRUCTURE

---



## CASING

---




TPI=Threads Per Inch(2.54cm)

- lower TPI casing is heavier, but it can give better cut, puncture, and abrasion resistance
- High TPI casing is lighter, and offering a smoother and comfortable ride feeling

# TUBELESS READY

---



Tubeless provide the benefits of less chance of flatting since there is no tube, and lower rolling resistance when compared to a tube-type tire. The constructure with extra-strong foldable bead and reinforced rubber sidewalls is mainly used for Elite and performance lines.

TR

TUBELESS  
READY

TR





# TECH

---



High density Nylon breaker will not only keep light weight, but also provide highly puncture protection from glass, debris and other materials with sharp edge.



A layer of 3mm thick, special high elastic rubber, most effective protection breaker for bicycle tires, even a thumbtack won't harm it. Usually used in city/urban tires application.



A layer of 5mm thick, special high elastic rubber, most effective protection breaker for bicycle tires, even a thumbtack won't harm it. Usually used in city/urban tires application.



The best solution for anti-punctures, it is double protection for the tire. An extremely closed meshed and dense fabric (Kevlar 3) always used for flack jacket placed under the tread.



Based on SHARK SKIN+ technology, while offers protection from Bead to Bead. This additional all-round puncture protection layer makes the casings extremely durable against different damage.

# COMPOUND

---



The E-bike compound is developed especially for E-bike use. It has a low rolling resistance and excellent high speed grip, keeps your safety in fast cornering. The 50km/h compound has even better grip and mileage.



Excellent traction and cornering grip for AM and FR tire.



ALL condition road racing compound offers excellent grip and low rolling resistance, while provides exceptional tread wear.

# CHARGER

Smooth rolling thread with detailed sides and shoulders for any urban ride and cruising around your neighbourhood. Driveways? Parks?

Or even fire roads lining crop fields on the way to your office or yoga sesh in the park? Charger is the one to go for.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
24x1 3/8	37-540	Sport	22tpi	Wire	Single	Basic	580g	110101
26x1 3/8	37-590	Sport	22tpi	Wire	Single	Basic	630g	110102

# CONVERT

The Convert redefines what all-road is, without the need for a substantial amount of tread. Whether slippery, rough, or both, the understated grooves of the Convert will take hold and get you through it.

Find your way down any road, with confidence.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x1.75	47-559	Sport	22tpi	Wire	Single	Basic	835g	110201
26x1.75	47-559	Comp	30tpi	Wire	Single	Basic	600g	110202
26x1.75	47-559	Deluxe	30tpi	Wire	Single	Rhino skin	670g	110203
700x35C	37-622	Sport	22tpi	Wire	Single	Basic	735g	110204
700x38C	40-622	Sport	22tpi	Wire	Single	Basic	775g	110205
700x45C	47-622	Sport	22tpi	Wire	Single	Basic	910g	110206
700x35C	37-622	Comp	30tpi	Wire	Single	Basic	570g	110207
700x38C	40-622	Comp	30tpi	Wire	Single	Basic	620g	110208
700x45C	47-622	Comp	30tpi	Wire	Single	Basic	730g	110209
700x35C	37-622	Deluxe	30tpi	Wire	Single	Rhino skin	640g	110210
700x38C	40-622	Deluxe	30tpi	Wire	Single	Rhino skin	690g	110211
700x45C	47-622	Deluxe	30tpi	Wire	Single	Rhino skin	815g	110212

# LIGHTNING

The serrated side is be the best choice for corning stability and great wet traction.Low rolling resistance,more ride comforts as well as excellent drainage performance can be ensured by superb grooved slick design in the center.Great wet traction and controlled cornering



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x32C	32-622	Deluxe	60tpi	Wire	eBike	Rhino Skin+Reflex	670g	110301
700x38C	40-622	Deluxe	60tpi	Wire	eBike	Rhino Skin+Reflex	810g	110302
700x42C	42-622	Deluxe	60tpi	Wire	eBike	Rhino Skin+Reflex	890g	110303
700x45C	47-622	Deluxe	60tpi	Wire	eBike	Rhino Skin+Reflex	920g	110304

# MAKO SHARK

Unique crown radian design cooperated with enhanced tread base provides unsurpassed wear-resistance and puncture resistance performance. Central directional and slick groove design ensure low rolling resistance which is helpful to provide you with more speed and relaxing ride. Excellent cornering traction and precise response can be ensured by enlarged shoulder blocks.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
27.5x1.50	40-584	Deluxe	22tpi	Wire	eBike	Rhino Skin	460g	110401
700x28C	28-622	Deluxe	22tpi	Wire	eBike	Rhino Skin+Reflex	400g	110402
700x32C	32-622	Deluxe	22tpi	Wire	eBike	Rhino Skin+Reflex	560g	110403
700x35C	37-622	Deluxe	22tpi	Wire	eBike	Rhino Skin+Reflex	665g	110404
700x35C	37-622	Comp	30tpi	Folding	Brown wall	Basic	460g	110405
700x38C	40-622	Deluxe	22tpi	Wire	eBike	Rhino Skin+Reflex	695g	110406
700x38C	40-622	Comp	30tpi	Folding	Brown wall	Basic	480g	110407
700x45C	47-622	Deluxe	22tpi	Wire	eBike	Rhino Skin+Reflex	750g	110408
700x45C	47-622	Comp	30tpi	Folding	Brown wall	Basic	520g	110409

# ROADRUNNER

Fast, ridiculously fast.. without forgetting that rain-or-shine riders encounter more than pristine tarmac. Slick platform from bead to bead, the Roadrunner only exhibits grooves where the fastest corners will need them. Two speeds: Fast or Faster.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x1.50	40-559	Sport	22tpi	Wire	Single	Basic	730g	110501
26x1.90	47-559	Sport	22tpi	Wire	Single	Basic	800g	110502
26x1.50	40-559	Comp	30tpi	Wire	Single	Basic	540g	110503
26x1.90	47-559	Comp	30tpi	Wire	Single	Basic	650g	110504
26x1.50	40-559	Deluxe	30tpi	Wire	Single	Rhino skin	610g	110505
26x1.90	47-559	Deluxe	30tpi	Wire	Single	Rhino skin	700g	110506
27.5x1.90	47-584	Sport	22tpi	Wire	Single	Basic	840g	110507
27.5x1.90	47-584	Comp	30tpi	Wire	Single	Basic	660g	110508
27.5x1.90	47-584	Deluxe	30tpi	Wire	Single	Rhino skin	710g	110509
29x1.90	47-622	Sport	22tpi	Wire	Single	Basic	960g	110510
29x1.90	47-622	Comp	30tpi	Wire	Single	Basic	740g	110511
29x1.90	47-622	Deluxe	30tpi	Wire	Single	Rhino skin	670g	110512

# SCORCHER

Full bodied and thick design makes this tire a perfect choice for a big city rumble. Tons of grip on asphalt and concrete, thick thread design guarding you from all possible debris on the streets and carefully created grooves for tire agility and water channeling.. a package of everything a street warrior can ask for!



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
24x1.75	47-507	Sport	22tpi	Wire	Single	Basic	735g	110601
26x1.75	47-559	Sport	22tpi	Wire	Single	Basic	835g	110602
28x1.75	47-622	Sport	22tpi	Wire	Single	Basic	910g	110603
700x28C	28-622	Sport	22tpi	Wire	Single	Basic	660g	110604
700x32C	32-622	Sport	22tpi	Wire	Single	Basic	705g	110605
700x35C	37-622	Sport	22tpi	Wire	Single	Basic	735g	110606
700x38C	40-622	Sport	22tpi	Wire	Single	Basic	755g	110607
700x40C	40-622	Sport	22tpi	Wire	Single	Basic	755g	110608

# SPECTRE

Smooth tread center for low rolling resistance coordinated with variety size of grooves is good for wet traction also.Lateral shoulder ramp knob provides effective reinforce traction on both wet and debris surface also excellent cornering stability.Comfortable ride and controlled cornering



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x35C	37-622	Deluxe	60tpi	Wire	eBike	Rhino skin+Reflex	765g	110701
700x40C	42-622	Deluxe	60tpi	Wire	eBike	Rhino skin+Reflex	800g	110702
700x45C	47-622	Deluxe	60tpi	Wire	eBike	Rhino skin+Reflex	920g	110703

# WEDGE

The Wedge delivers extra deep grooves for those who prefer heading out on rides without a set destination.

Textured outer tread and exit channels for water make it an excellent choice for wet roads.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
24x1.75	47-507	Sport	22tpi	Wire	Single	Basic	735g	110801
26x1.75	47-559	Sport	22tpi	Wire	Single	Basic	835g	110802
28x1.75	47-622	Sport	22tpi	Wire	Single	Basic	910g	110803
700x28C	28-622	Sport	22tpi	Wire	Single	Basic	660g	110804
700x32C	32-622	Sport	22tpi	Wire	Single	Basic	705g	110805
700x35C	37-622	Sport	22tpi	Wire	Single	Basic	725g	110806
700x38C	40-622	Sport	22tpi	Wire	Single	Basic	755g	110807

# ALLAROUND

All-around for many applications

Perfect blend of low rolling resistance on hard terrain and grip off road



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x40C	40-622	Sport	22tpi	Wire	Single	Basic	775g	110901
700x40C	40-622	Comp	30tpi	Wire	Single	Basic	620g	110902
700x45C	45-622	Sport	22tpi	Wire	Single	Basic	910g	110903
700x45C	45-622	Comp	30tpi	Wire	Single	Basic	730g	110904

# X-PACK



Closely packed tread makes the X-Pack an exceptionally fast rolling tire for how much bite it delivers. Not only fast, its tight tread pattern limits the ability of unforgiving objects to puncture the casing. Ready for nearly any usage and conditions, it's a tire that inspires confidence whether commuting on rough roads or taking it out for a loop in the dirt.

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x38C	40-622	Sport	22tpi	Wire	Single	Basic	755g	111001
700x38C	40-622	Comp	30tpi	Wire	Brown wall	Basic	610g	111002
700x38C	40-622	Comp	30tpi	Folding	Brown wall	Basic	550g	111003
700x38C	40-622	Race	60tpi	Aramid	Dual	Basic	510g	111004
700x40C	42-622	Sport	22tpi	Wire	Single	Basic	775g	111005
700x40C	42-622	Comp	30tpi	Wire	Brown wall	Basic	630g	111006
700x40C	42-622	Comp	30tpi	Folding	Brown wall	Basic	600g	111007
700x40C	42-622	Race	60tpi	Aramid	Dual	Basic	545g	111008
700x45C	47-622	Sport	22tpi	Wire	Single	Basic	810g	111009
700x45C	47-622	Comp	30tpi	Wire	Brown wall	Basic	660g	111010
700x45C	47-622	Comp	30tpi	Folding	Brown wall	Basic	630g	111011
700x45C	47-622	Race	60tpi	Aramid	Dual	Basic	570g	111012

# AZTEC

Large and far between knobs design gives the AZTEC mud-clearing ability. The regularly ramped square blocks for low rolling resistance works with grippy shoulder and ideal weapon for trail and free ride. Tubless ready and shark skin protection bead to bead.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x2.35	60-559	Race	60tpi	Aramid	Dual	TUBELESS READY+ Shark skin B2B	850g	111101
27.5x2.35	60-584	Race	60tpi	Aramid	Dual	TUBELESS READY+ Shark skin B2B	930g	111102
29x2.35	60-622	Race	60tpi	Aramid	Dual	TUBELESS READY+ Shark skin B2B	980g	111103

# BLACK DIAMOND

We introduce to you to the tallest knobs in the Ontrack line. Each of them digging deep into loose terrain at numerous angles to deliver unbreakable traction whether climbing, braking or cornering. The Black Diamond begs for challenging runs piloted by an aggressive rider.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
27.5x 2.25	57-584	Sport	22tpi	Wire	Single	Basic	1075g	111201
27.5x2.25	57-584	Comp	30tpi	Wire	Single	Nylon Breaker	1000g	111202
27.5x2.35	60-584	Sport	22tpi	Wire	Single	Basic	1140g	111203
29x2.25	57-622	Sport	22tpi	Wire	Single	Basic	1185g	111204
29x2.25	57-622	Comp	30tpi	Wire	Single	Nylon Breaker	1100g	111205

# CUTLASS

Pointed blocks strategically placed on the Cutlass dig deep into loose terrain, whether it be loam, rock, sand or mud. Generous spacing between each angled block sheds muck with ease, urging you to take it for a spin even when the weatherman says to stay inside.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x2.0	50-559	Comp	30tpi	Wire	Single	Nylon Breaker	605g	111301
26x2.10	52-559	Comp	30tpi	Wire	Single	Nylon Breaker	655g	111302
26x2.0	50-559	Race	60tpi	Aramid	Dual	Nylon Breaker	525g	111303
26x2.10	52-559	Race	60tpi	Aramid	Dual	Nylon Breaker	570g	111304
27.5x2.0	50-584	Comp	30tpi	Wire	Single	Nylon Breaker	635g	111305
27.5x2.10	52-584	Comp	30tpi	Wire	Single	Nylon Breaker	740g	111306
27.5x2.10	52-584	Comp	30tpi	Folding	Brown wall	Basic	735g	111307
27.5x2.2	54-584	Comp	30tpi	Wire	Single	Nylon Breaker	740g	111308
27.5x2.2	54-584	Comp	30tpi	Folding	Brown wall	Basic	755g	111309
27.5x2.0	50-584	Race	60tpi	Aramid	Dual	Nylon Breaker	560g	111310
27.5x2.10	52-584	Race	60tpi	Aramid	Dual	Nylon Breaker	660g	111311
27.5x2.2	54-584	Race	60tpi	Aramid	Dual	Nylon Breaker	660g	111312
29x2.0	50-622	Comp	30tpi	Wire	Single	Nylon Breaker	730g	111313
29x2.10	52-622	Comp	30tpi	Wire	Single	Nylon Breaker	760g	111314
29x2.10	52-622	Comp	30pi	Folding	Brown wall	Basic	800g	111315
29x2.0	50-622	Race	60tpi	Aramid	Single	Nylon Breaker	645g	111316
29x2.10	52-622	Race	60tpi	Aramid	Single	Nylon Breaker	680g	111317
29x2.2	54-622	Comp	30tpi	Folding	Brown wall	Basic	830g	111318

# DUAL



Alarmingly low rolling resistance when cranking up climbs or letting the brakes go, with plenty of knobs on the outer edge to ensure they stay planted while cornering. Incredibly fast, with plenty of cornering traction. Dual provides the best of both worlds.

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x2.10	52-559	Sport	22tpi	Wire	Single	Basic	920g	111401
26x2.10	52-559	Comp	30tpi	Wire	Single	Basic	820g	111402
27.5x2.10	52-584	Sport	22tpi	Wire	Single	Basic	1000g	111403
27.5x2.10	52-584	Comp	30tpi	Wire	Single	Basic	900g	111404
29x2.10	52-622	Sport	22tpi	Wire	Single	Basic	1100g	111405
29x2.10	52-622	Comp	30tpi	Wire	Single	Basic	1000g	111406

# WOLFTRACK



The all-rounder for All Mountain and Enduro Tours. Best predictable Grip on all surfaces. For full riding fun and very popular for demanding MTB /E-MTB tours

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x2.35	60-559	Comp	30tpi	Wire	Dual	Nylon Breaker	1005g	111801
26x2.35	60-559	Comp	30tpi	Folding	Brown wall	Basic	700g	111802
27.5x2.35	60-584	Comp	30tpi	Wire	Dual	Nylon Breaker	1045g	111803
27.5x2.35	60-584	Comp	30tpi	Folding	Brown wall	Basic	735g	111804
29x2.35	60-622	Comp	30tpi	Wire	Dual	Nylon Breaker	1080g	111805
29x2.35	60-622	Comp	30tpi	Folding	Brown wall	Basic	800g	111806

# GANGSTER

Copious, equally-spaced knobs are arranged in a tread pattern that grabs in every direction, the Gangster proudly reps every section of your local trail network. Go anywhere, do anything, with confidence.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
20x1.95	50-406	Sport	22tpi	Wire	Single	Basic	635g	111601
24x1.95	50-507	Sport	22tpi	Wire	Single	Basic	740g	111602
24x2.10	54-507	Sport	22tpi	Wire	Single	Basic	750g	111603
26x1.95	50-559	Sport	22tpi	Wire	Single	Basic	800g	111604
26x2.10	54-559	Sport	22tpi	Wire	Single	Basic	800g	111605
26x2.10	54-559	Comp	30tpi	Wire	Single	Basic	700g	111606
26x2.125	57-559	Sport	22tpi	Wire	Single	Basic	800g	111607
27.5x1.95	50-584	Sport	22tpi	Wire	Single	Basic	840g	111608
27.5x2.10	54-584	Sport	22tpi	Wire	Single	Basic	960g	111609
27.5x2.10	54-584	Comp	30tpi	Wire	Single	Basic	860g	111610
29x2.10	54-622	Sport	22tpi	Wire	Single	Basic	1035g	111611
29x2.10	54-622	Comp	30tpi	Wire	Single	Basic	935g	111612
29x2.125	57-622	Sport	20tpi	Wire	Single	Basic	1035g	111613
29x2.2	54-622	Comp	30tpi	Folding	Brown wall	Basic	785g	111614

# MAGIC

The most popular downhill and enduro tires. Excellent for higher weights of E-MTB bikes. Maximum traction and braking grip even on the steepest climbs and descents. Extremely durable and puncture-proof due to very large tread blocks and super gravity carcass.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
20x2.40	64-406	Sport	22tpi	Wire	Single	Basic	966g	111701
24x2.40	64-507	Sport	22tpi	Wire	Single	Basic	1199g	111702
26x2.40	64-559	Sport	22tpi	Wire	Single	Basic	1329g	111703
27.5x2.40	64-584	Sport	22tpi	Wire	Single	Basic	1389g	111704
29x2.40	64-622	Sport	22tpi	Wire	Single	Basic	1420g	111705
20x2.40	64-406	Comp	30tpi	Wire	Dual	Nylon Breaker	1000g	111706
24x2.40	64-507	Comp	30tpi	Wire	Dual	Nylon Breaker	1240g	111707
26x2.40	64-559	Comp	30tpi	Wire	Dual	Nylon Breaker	1390g	111708
27.5x2.40	64-584	Comp	30tpi	Wire	Dual	Nylon Breaker	1450g	111709
29x2.40	64-622	Comp	30tpi	Wire	Dual	Nylon Breaker	1500g	111710

# FACTION

An open tread pattern and short, dimpled knobs merge to create the ultrafast Faction for those looking to break away from any riding group. It eats loose-over-hardpack terrain for breakfast and skips lunch for endless laps of dusty race lines.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x1.95	50-559	Comp	30tpi	Wire	Single	Basic	605g	111501
26x1.95	50-559	Race	60tpi	Aramid	Dual	Basic	520g	111502
27.5x2.10	52-584	Comp	30tpi	Wire	Single	Basic	740g	111503
27.5x2.10	52-584	Race	60tpi	Aramid	Dual	Basic	660g	111504

# SUPER MOTO

Can be used from paved road to light forest trail .Highest comfort characteristics .Clear advantage in rolling resistance .Primarily suitable for asphalt



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
20x2.35	60-406	Sport	22tpi	Wire	Single	Basic	821g	111901
24x2.35	60-507	Sport	22tpi	Wire	Single	Basic	1024g	111902
26x2.35	60-559	Sport	22tpi	Wire	Single	Basic	1134g	111903
27.5x2.50	62-584	Sport	22tpi	Wire	Single	Basic	1200g	111904
29x2.50	65-622	Sport	22tpi	Wire	Single	Basic	1262g	111905
20x2.35	60-406	Deluxe	30tpi	Wire	eBike	Rhino skin	921g	111906
24x2.35	60-507	Deluxe	30tpi	Wire	eBike	Rhino skin	1124g	111907
26x2.35	60-559	Deluxe	30tpi	Wire	eBike	Rhino skin	1234g	111908
27.5x2.50	62-584	Deluxe	30tpi	Wire	eBike	Rhino skin	1300g	111909
29x2.50	65-622	Deluxe	30tpi	Wire	eBike	Rhino skin	1362g	111910

# X-PACK

Closely packed tread makes the X-Pack an exceptionally fast rolling tire for how much bite it delivers. Not only fast, its tight tread pattern limits the ability of unforgiving objects to puncture the casing. Ready for nearly any usage and conditions, it's a tire that inspires confidence whether commuting on rough roads or taking it out for a loop in the dirt.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x1.95	50-559	Sport	22tpi	Wire	Single	Basic	900g	111013

# TRANSITION



The Transition is a do-all tire in every way. The fast-rolling centerline transitions into widely spaced intermediate knobs and further into a prominent outer ridgeline, resulting in a diverse tread pattern. The Transition excels on any terrain, through any conditions.

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
26x2.10	52-559	Sport	22tpi	Wire	Single	Basic	916g	112001
26x2.10	52-559	Comp	30tpi	Wire	Single	Basic	775g	112002
26x2.10	52-559	Race	60tpi	Aramid	Dual	Basic	695g	112003
27.5x2.10	52-584	Sport	22tpi	Wire	Single	Basic	1082g	112004
27.5x2.10	52-584	Comp	30tpi	Wire	Single	Basic	780g	112005
27.5x2.10	52-584	Race	60tpi	Aramid	Dual	Basic	720g	112006
27.5x2.25	54-584	Sport	22tpi	Wire	Single	Basic	1072g	112007
27.5x2.25	54-584	Comp	30tpi	Wire	Single	Basic	1082g	112008
27.5x2.25	54-584	Comp	30tpi	Folding	Brown wall	Basic	780g	112009
29x2.10	52-622	Sport	22tpi	Wire	Single	Basic	1032g	112010
29x2.10	52-622	Comp	30tpi	Wire	Single	Basic	830g	112011
29x2.10	52-622	Race	60tpi	Aramid	Dual	Basic	750g	112012
29x2.25	54-622	Sport	22tpi	Wire	Single	Basic	1149g	112013
29x2.25	54-622	Comp	30tpi	Wire	Single	Basic	1139g	112014
29x2.25	54-622	Comp	30pi	Folding	Brown wall	Basic	850g	112015

# TYPHOON



Large tapered bidirectional blocks in the middle provide superb supports when facing fierce impact of uphill and downhill, you can hold any bad road condition with it. Directional shoulder blocks ensure good drainage performance. Shallow Sipes increase grip on wet land and riding comfort.

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
27.5x2.25	54-584	Race	60tpi	Aramid	Dual	TUBELESS READY+ Shark skin B2B	750g	112101
29x2.25	54-622	Race	60tpi	Aramid	Dual	TUBELESS READY+ Shark skin B2B	790g	112102

# JUMBO

Optimized tread for deep mud and snow  
 Extremely stable braking and traction edges in the center tread  
 More controlled steering and accelerating



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
20x4.0	100-406	Comp	30tpi	Wire	Single	Basic	1200g	112201
20x4.0	100-406	Comp	30tpi	Folding	Brown wall	Basic	1050g	112202
20x4.0	100-406	Race	60tpi	Aramid	Brown wall	Basic	850g	112203
24x4.0	100-507	Comp	30tpi	Wire	Single	Basic	1300g	112204
24x4.0	100-507	Comp	30tpi	Folding	Brown wall	Basic	1150g	112205
24x4.0	100-507	Race	60tpi	Aramid	Brown wall	Basic	950g	112206
26x4.0	100-559	Comp	30tpi	Wire	Single	Basic	1500g	112207
26x4.0	100-559	Comp	30tpi	Folding	Brown wall	Basic	1288g	112208
26x4.0	100-559	Race	60tpi	Aramid	Brown wall	Basic	1088g	112209

# AM CLASIC

Best predicatable on all surface  
 All around for all mountain and enduro riding  
 For full riding fun with performance



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
27.5x2.30	58-584	Comp	30tpi	Wire	Single	Basic	793g	112301
27.5x2.30	58-584	Comp	30tpi	Folding	Brown wall	Basic	725g	112302
27.5x2.30	58-584	Race	60tpi	Aramid	Brown wall	Basic	665g	112303
29x2.30	58-622	Comp	30tpi	Wire	Single	Basic	810g	112304
29x2.30	58-622	Comp	30tpi	Folding	Brown wall	Basic	730g	112305
29x2.30	58-622	Race	60tpi	Aramid	Brown wall	Basic	690g	112306

# BLADE

First choice for training road bikes. Equipped with Dino skin (kevlar) anti-puncture and light weight. Silica compound is ideal durability and grip ,extra mileage for extra fun.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x23C	23-622	Race	60tpi	Aramid	Silica	Dino skin	295g	112401
700x25C	25-622	Race	60tpi	Aramid	Silica	Dino skin	305g	112402
700x25C	25-622	Comp	30tpi	Folding	Brown wall	Basic	410g	112403
700x28C	28-622	Race	60tpi	Aramid	Silica	Dino skin	320g	112404
700x28C	28-622	Comp	30tpi	Folding	Brown wall	Basic	420g	112405

# COMET

Rapid, agile, swift, quick.. call it whatever you'd like, the Comet flies down the road with next-to-zero rolling resistance. Lead out the ride, hold the front of the pack and wonder where you dropped everybody at the end of the ride.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x23C	23-622	Sport	22tpi	Wire	Single	Basic	445g	112501
700x23C	23-622	Comp	30tpi	Wire	Single	Basic	439g	112502
700x25C	25-622	Sport	22tpi	Wire	Single	Basic	455g	112503
700x25C	25-622	Comp	30tpi	Wire	Single	Basic	449g	112504
700x25C	25-622	Comp	30tpi	Folding	Brown wall	Basic	410g	112505
700x28C	28-622	Sport	22tpi	Wire	Single	Basic	659g	112506
700x28C	28-622	Comp	30tpi	Wire	Single	Basic	645g	112507
700x28C	28-622	Comp	30tpi	Folding	Brown wall	Basic	420g	112508

# ROADRUNNER

Fast, ridiculously fast.. without forgetting that rain-or-shine riders encounter more than pristine tarmac. Slick platform from bead to bead, the Roadrunner only exhibits grooves where the fastest corners will need them. Two speeds: Fast or Faster.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x23C	23-622	Sport	22tpi	Wire	Single	Basic	445g	110513
700x25C	25-622	Sport	22tpi	Wire	Single	Basic	525g	110514
700x28C	28-622	Sport	22tpi	Wire	Single	Basic	689g	110515
700x23C	23-622	Comp	30tpi	Wire	Single	Basic	320g	110516
700x25C	25-622	Comp	30tpi	Wire	Single	Basic	415g	110517
700x28C	28-622	Comp	30tpi	Wire	Single	Basic	510g	110518
700x28C	28-622	Comp	30tpi	Folding	Brown wall	Basic	420g	110519
700x23C	23-622	Deluxe	30tpi	Wire	Single	Nylon Breaker	365g	110520
700x25C	25-622	Deluxe	30tpi	Wire	Single	Nylon Breaker	440g	110521
700x28C	28-622	Deluxe	30tpi	Wire	Single	Nylon Breaker	550g	110522
700x32C	32-622	Comp	30tpi	Wire	Single	Basic	470g	110523
700x32C	32-622	Comp	30tpi	Folding	Brown wall	Basic	435g	110524

# MUSTANG

Small diamonds profile provides excellent cornering and grip performance on both dry and wet road conditions. Dino skin plus shark skin B2B for the best and full protection. Silica compound is ideal durability and grip ,extra mileage for extra fun



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
700x23C	23-622	Race	60tpi	Aramid	Silica	Dino skin+Shark skin B2B	450g	112601
700x25C	25-622	Race	60tpi	Aramid	Silica	Dino skin+Shark skin B2B	470g	112602
700x28C	28-622	Race	60tpi	Aramid	Silica	Dino skin+Shark skin B2B	490g	112603

# THUNDERBOLT

Would you expect anything less than powerfully limitless grip from something named the Thunderbolt? Those shockwave grooves emanating from the center improve low-speed grip, especially when accelerating or braking. Perfect for making tight maneuvers in bustling urban environments.

Category: Urban



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
27x1 1/4	32-630	Sport	22tpi	Wire	Single	Basic	525g	112701

# CHALLENGER

Ready for getting airborne on the neighborhood jumps, the Challenger also feels comfortable chasing the jingle of the daily ice cream truck. Many consider it revolutionary. We won't argue that, as long as we can call it a champion as well.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
12 1/2 x 2 1/4	62-203	Sport	22tpi	Wire	Single	Basic	400g	112801
14x1.75	47-254	Sport	22tpi	Wire	Single	Basic	365g	112802
16x1.75	47-305	Sport	22tpi	Wire	Single	Basic	440g	112803
18x1.75	47-355	Sport	22tpi	Wire	Single	Basic	510g	112804
20x1.75	47-406	Sport	22tpi	Wire	Single	Basic	595g	112805
20x1.95	50-406	Sport	22tpi	Wire	Single	Basic	670g	112806
20x2.125	57-406	Sport	22tpi	Wire	Single	Basic	750g	112807

# CONCOURS

Looking for a tire that keeps the rubber side down through it all? The Concours delivers a tight spacing of textured platforms that promise unmatched traction on smooth surfaces while swooped grooves provide numerous working edges for loose, uneven terrain.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
12 1/2x2 1/4	62-203	Sport	22tpi	Wire	Single	Basic	345g	112901
14x1.75	47-254	Sport	22tpi	Wire	Single	Basic	385g	112902
16x1.75	47-305	Sport	22tpi	Wire	Single	Basic	455g	112903
18x1.75	47-355	Sport	22tpi	Wire	Single	Basic	510g	112904
20x1.75	47-406	Sport	22tpi	Wire	Single	Basic	590g	112905
20x1.95	50-406	Sport	22tpi	Wire	Single	Basic	640g	112906
22x1.75	47-456	Sport	22tpi	Wire	Single	Basic	665g	112907
24x1.95	50-507	Sport	22tpi	Wire	Single	Basic	865g	112908

# CORVETTE

We designed the Corvette to go fast and far. Proof is in the large blocks of varying textures to ensure it can take on anything thrown in its path without slowing down. Multi-directional siping along the entirety of the centerline ensures it'll find traction regardless of where it's pointed.



SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
14x1.75	47-254	Sport	22tpi	Wire	Single	Basic	400g	113001
16x1.75	47-305	Sport	22tpi	Wire	Single	Basic	420g	113002
18x1.75	47-355	Sport	22tpi	Wire	Single	Basic	490g	113003
20x1.75	47-406	Sport	22tpi	Wire	Single	Basic	570g	113004
22x1.75	47-456	Sport	22tpi	Wire	Single	Basic	665g	113005
24x1.75	47-507	Sport	22tpi	Wire	Single	Basic	700g	113006

# INTREPID



Tread from bead to bead. Yup, you read that correctly. The Intrepid employs an abundance of fingered edges to provide unwavering traction regardless of the angle your tire comes down. Ready for an afternoon of endless hits, whether indoors or out in the dirt.

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
16x1.95	50-305	Sport	22tpi	Wire	Single	Basic	570g	113101
20x1.95	50-406	Sport	22tpi	Wire	Single	Basic	705g	113102
20x2.10	54-406	Sport	22tpi	Wire	Single	Basic	765g	113103

# WRANGLER



Think back on where you rode your first bike. Down the driveway, through the neighbor's garden, across the abandoned field of jumps, through the park sprinklers. The Wrangler tackles it all with toothy, supportive knobs.

SIZE	ETRTO	LEVEL	CASING	BEAD	COMPOUND	TECH	WEIGHT	ART. #
12 1/2x2 1/4	62-203	Sport	22tpi	Wire	Single	Basic	345g	113201
14x1.75	47-254	Sport	22tpi	Wire	Single	Basic	325g	113202
16x1.75	47-305	Sport	22tpi	Wire	Single	Basic	395g	113203
18x1.75	47-355	Sport	22tpi	Wire	Single	Basic	470g	113204
20x1.75	47-406	Sport	22tpi	Wire	Single	Basic	525g	113205
20x1.95	50-406	Sport	22tpi	Wire	Single	Basic	640g	113206
20x2.125	57-406	Sport	22tpi	Wire	Single	Basic	640g	113207
24x1.75	47-507	Sport	22tpi	Wire	Single	Basic	650g	113208
24x1.95	50-507	Sport	22tpi	Wire	Single	Basic	810g	113209
26x1.75	47-559	Sport	22tpi	Wire	Single	Basic	755g	113210
26x1.95	50-559	Sport	22tpi	Wire	Single	Basic	835g	113211

# INNER TUBE

## STANDARD TUBE

- Optimal air retention performance, anti-freezing, heat-resisting
- All butyl rubber made, excellent tensile elongation performance
- 0.90MM thickness
- 0.90mm in thickness
- lightweight and durable racing tubes

SIZE	ETRTO
12 1/2x1.75/2 1/4	50/54-203
12 1/2x2 1/4	57-203
14x1.50/1.75	40/47-254
14x1.95/2.125	50/54-254
14x2.125	54-254
16x1.50/1.75	40/47-305
16x1.95/2.125	50/54-305
16x2.125	54-305
18x1.50/1.75	40/47-355
18x1.95/2.125	50/54-355

SIZE	ETRTO
20x1	23-451 23-420
20x1 1/8	28-451
20x1 3/8	37-451
20x1.0/1.25	25/32-406
20x1.25/1.50	32/40-406
20x1.50/1.75	40/47-406
20x1.95/2.125	50/54-406
20x2.125	54-406
20x2.30/2.50	57/62-406
20x3.0	76-406
20x4 1/4	108-451
20x4.0/4.90	100/120-406

SIZE	ETRTO
26x1 1/2x1 5/8	40/44-559/571
26x1 3/8	37-590
26x1.0/1.25	23/32-559
26x1.25/1.50	32/40-559
26x1.50/1.75	40/47-559
26x1.95/2.125	50/54-559
26x2.125	54-559
26x2.30/2.50	57/62-559
26x3.0	76-559
26x4.0/4.9	100/120-559
27.5x1.25/1.50	32/40-584
27.5x1.75/2.10	47/52-584
27.5x2.10/2.25	52/57-584
27.5x2.5/3.0	62/76-584
27.5x3.0/3.5	76/90-584

SIZE	ETRTO
27x1	25-630
27x1 1/4	32-630
27x1 3/8	37-630
28x1 1/2	40-635
28x1.75	47-622
29x1.25/1.50	32/40-622/630
29x1.75/2.10	47/52-622/630
29x2.10/2.25	52/57-622/630
29x2.25/2.50	57/62-622/630
29x3.0/3.5	76/90-622/630
700x18/23C	18/23-622/630
700x25/32C	25/32-622/630
700x33/37C	33/37-622/630
700x38/45C	38/45-622/630



SIZE	ETRTO
22x1	25-470
22x1 3/8	37-501
22x1.50/1.75	40/47-457
22x1.75/2.10	47/52-457
24x1	25-540
24x1 3/8	37-540
24x1.0/1.25	23/32-520
24x1.25/1.50	32/40-507
24x1.50/1.75	40/47-507
24x1.95/2.125	50/54-507
24x2.125	54-507
24x2.30/2.50	57/62-507
24x3.0	76-507
24x4.0/4.9	100/120-507

# INNER TUBE



## SELF-SEALING TUBE

- 0.9MM
- 0.9mm in thickness
- Very high quality inner-tubes prefilled with sealant, prevents flats by instantly sealing punctures in the tread area of the tire. Enjoy your no worry trip!

SIZE	ETRTO
20x1.95/2.125	50/54-406
24x1.95/2.125	50/54-507
26x1.95/2.125	50/54-559
26x2.30/2.50	57/62-559
27.5x1.75/2.10	47/52-584
27x1 1/4	32-630

SIZE	ETRTO
28x1.75	47-622
29x1.75/2.10	47/52-622/630
700x18/23C	18/23-622/630
700x25/32C	25/32-622/630
700x33/37C	33/37-622/630
700x38/45C	38/45-622/630



## SUPER LITE


- 0.65MM
- 0.65mm in thickness
- Lightweight and durable racing tubess

SIZE	ETRTO
26x1.25/1.50	32/40-559
26x1.50/1.75	40/47-559
26x1.95/2.125	50/54-559
27.5x1.75/2.10	47/52-584
27.5x2.10/2.25	52/57-584
29x1.75/2.10	47/52-622/630
700x18/23C	18/23-622/630
700x25/32C	25/32-622/630



## HEAVY DUTY TUBE

- Providing more safety under deflation/heavy duty




SIZE	ETRTO
20x1 1/8	28-451
20x1 3/8	37-451
20x1.50/1.75	40/47-406
20x1.95/2.125	50/54-406
26x2.30/2.50	57/62-559



## THORN RESISTANCE TUBE

- Specially produced for puncture resistance which will provide more safety for your riding

SIZE	APPLICATION
24x1 3/8	City/Urban
24x1.75	City/Urban
26x1 3/8	City/Urban
20x1.75/2.125	BMX
24x1.75/2.125	City/Urban
26x1.75/2.125	MTB/XC
700x25/32C	City/Urban
700x33/37C	City/Urban
700x38/45C	City/Urban







## UltraMAX XTS [Xtra Thick Tube with Sealant]

- UltraMAX XTS combines extra heavy duty tube(600% thicker than standard at tread area and at least 200% on side walls)with sealant to give you the best protection against punctures yet.UltraMAX XTS has been prefilled with tube sealant that prevents flats by instantly sealing punctures up to 6mm in diameter.The sealant is forced into the opening by internal air pressure and upon contact with the outer atmosphere,bonds to the tube creating an airtight plug of flexible fibres permanently sealing punctures.

SIZE	TYPE OF VALVE
12 1/2x2 1/4	SV35MM
16x1.75/2.125	SV48MM
20x1.75/2.125	SV48MM
20x2.2/2.6	SV48MM
24x2.2/2.6	SV48MM
26x1.75/2.125	FV48MM
26x1.75/2.125	SV48MM
27.5x2.2/2.6	FV48MM
27.5x2.2/2.6	SV48MM
27.5x1.75/2.125	FV48MM
27.5x1.75/2.125	SV48MM
29x2.2/2.6	FV48MM
29x2.2/2.6	SV48MM
29x1.75/2.125	FV48MM
29x1.75/2.125	SV48MM
700x23/32C	FV48MM
700x23/32C	SV48MM
700x35/43C	FV48MM
700x35/43C	SV48MM



# VALVES



# TPU RACE TUBE



- Sets new standards in every respect
- At least 60% lighter than a standard butyl tube
- Extremely low rolling resistance, at similar level to tubeless
- Increased puncture protection due to high puncture resistance
- Fully recyclable, consists 100% thermoplastic polyurthane (TPU) (including valve)
- Extremely easy to mount and small pack size mental protection
- Available for gravel and road bikes, MTBs or all around use



APPLICATION	TUBE SIZE	ETRTO	Valve length (Presta valve)	Weight(g)
700C/Road bike	700C 18C-28C	18/28-622	48MM	35
			65MM	35
			85MM	36
			100MM	40
Gravel/all around bike	Gravel bike 700C 32c-45c	32/47-622	40MM	45
			48MM	45
			60MM	46
26" ALL MOUTAIN	26X1.90/2.50	50/62-559	40MM	75
			48MM	75
			60MM	76
27.5" ALL MOUTAIN	27.5X1.90/2.50	50/62-584	48MM	76
			60MM	76
27.5" ALL MOUTAIN PLUS	27.5X2.50/3.0	65/75-584	40MM	109
			48MM	109
29" ALL MOUTAIN	29X1.90/2.50	50/62-622	48MM	80
			60MM	80
29" ALL MOUTAIN PLUS	29X2.50/3.0	65/75-622	40MM	114
			48MM	114
TPU tube repair patch kit	6pcs Glueless patch+6pcs cotton wipers			

ONTACK CHINA

No.369,Zhenpu Road,Puyang Town Hangzhou  
China  
Postcode:311200  
Tel: +86 571 86503869  
Email:zgbian@163.com

**Onttrack**